COPY - CDFW/ASB

State of California - Department of Fish and Wildlife
2024 ENVIRONMENTAL DOCUMENT FILING FEE
CASH RECEIPT
DFW 753.5a (Rev. 01/01/24) Previously DFG 753.5a

		RECEIPT NUMBER	SER:
		37-11/20/2024-0959	24-0959
SEE INSTRIICTIONS ON REVERSE TYPE OR PRINT CLEARLY		STATE CLEARIN	STATE CLEARING HOUSE NUMBER(If applicable)
LEAD AGENCY FALLBROOK PUBLIC UTILITY DISTRICT	LEAD AGENCY EMAIL		DATE 11/20/2024
COUNTY/STATE AGENCY OF FILING SAN DIEGO			DOCUMENT NUMBER 37-2024-0959
PROJECT TITLE DOWNTOWN PIPELINE REPLACEMENT			
PROJECT APPLICANT NAME FALLBROOK PUBLIC UTILITY DISTRICT	PROJECT APPLICANT EMAIL	MAIL	PHONE NUMBER 760-728-1125
PROJECT APPLICANT ADDRESS 990 E. MISSION ROAD	CITY FALLBROOK	STATE	ZIP CODE 92028
PROJECT APPLICANT (Check appropriate box) Local Public Agency School District	✓ Other Special District	State Agency	gency Private Entity
			0.00
☐ Mitigated/Negative Declaration (MND)/(ND) ☐ Certified Regulatory Program (CRP) document - payment due directly to CDFW	irectly to CDFW	\$2,916.75 \$ \$1,377.25 \$	0.00
 ☒ Exempt from fee ☒ Notice of Exemption (attach) ☐ CDFW No Effect Determination (attach) ☐ Fee previously paid (attach previously issued cash receipt copy) 			
☐ Water Right Application or Petition Fee(State Water Resources Control Board only)	Control Board only)	\$850.00 \$	0.00
☐ Other		es es	0.00
PAYMENT METHOD			
SIGNATURE ACENICA	TOTAL RECEIVED	/ED \$	50.00
× Managemer san Di	San Diego County Clerk, MARIA GOMEZ,	MARIA GOMEZ,	Deputy

Payment Reference #: 95684



PILED

Nov 20, 2024 03:46 PM
JORDAN Z. MARKS
SAN DIEGO COUNTY CLERK
File # 2024-001041
State Receipt # 37112020240959

SAN DIEGO COUNTY CLERK CEQA FILING COVER SHEET

THIS SPACE FOR CLERK'S USE ONLY

Complete and attach this form to each CEQA Notice filed with the County Clerk

TYPE OR PRINT CLEARLY

Project Title

DOWNTOWN PIPELINE REPLACEMENT

Mitigated Negative Declaration (MND) or Negative Declaration (ND) Notice of Exemption (NOE) Other (Please fill in type): FILED IN THE OFFICE OF THE SAN DIEGO COUNTY CLERK ON November 20, 2024 Posted November 20, 2024 Returned to agency on DEC 2 0 2024 Returned to agency on DEC 2 0 2024	\circ	OC.)
	Notice of Exemption (NOE) Other (Please fill in type):	Environmental Impact Report (EIR) Mitigated Negative Declaration (MND) or Negative Declaration (ND)	Check Document being Filed:

NOTICE OF EXEMPTION

			\boxtimes	□ To:
County of:	County Clerk	Of	Clerk of the Board of Supervisors	Office of Planning and Research P. O. Box 3044, Room 113 Sacramento, CA 95812-3044
		•	Address	FROM: (Public Agency)
	San Diego, CA 92101	1600 Pacific Highway, Suite 260	San Diego Clerk's Office	Jack Bebee General Manager Fallbrook Public Utility District 990 E. Mission Road Fallbrook, CA 92028

'n	4.		2.	-
Description of nature, purpose, and beneficiaries of Project:	(a) Project Location – City: Unincorporated	Project Location – Identify street address and cross streets or attach a map showing project site (preferably a USGS 15' or 7 1/2' topographical map identified by quadrangle name):	Project Applicant:	Project Title:
The purpose of the project is to replace existing water pipeline. All pipelines are in Paved Right of Ways. The beneficiaries of the project are the customers of the Fallbrook Public Utility District in the form of more reliable water delivery.	(b) Project Location - County: San Diego	Beginning at the Intersection of Hawthorne St. and Wisconsin St. Then going east on Hawthorne to the intersection with Orange Ave. Then north to Mission Rd. Then go back south to the Intersection of Orange Av and Ivy St. Then continue East on Ivy to the Intersection of Iowa St. Then going north on Iowa St to the Intersection of Iowa St. Then gain at the Intersection of Iowa St. and Kalmia, then 350 feet to the east and then 200 feet north. Starting over again at the Intersection of Iowa St. and Kalmia St heading north to the intersection of Porter St and Iowa St. Then Back-tracking to the south, beginning at the Intersection of Iowa St and Doughery St heading east to the intersection of Dougherty St and Minnesota Av. Then Back-tracking to the Intersection of Iowa St and Dougherty going West to the Intersection of Dougherty and Orange Av, going North to the Intersection of Orange Av and Porter St. USGS Fallbrook and Temecula 7 1/2 'Quadrangle.	Fallbrook Public Utility District	Downtown Pipeline Replacement



DOWNTOWN PIPELINE REPLACEMENT (Job #3235)

350 700 1,400

Source ESRI, SANGIS, Fallbrook Public Utliky District Projection. California State Plane NAD 83, Feet. Zone 6. Epoch 1991;35. Map Created by Todd Jester (10-17-24)NFs1tengineering UOB FILES/3000 - District/3235 - Downtown Pipeline Replacement/Documents/CEQA/DOWNTOWN_PIPELINE_CEQA_MAP.MXD

PRELIMINARY EXEMPTION ASSESSMENT

(Certificate of Determination When Attached to Notice of Exemption)

i		1	İ					1	1									_
												4				'n	2.	
	h,	άσ		ىب:		e.	d.	c.	b.	į.	The Leather Le	Staff L				Entity	Proje addre map s USGs identi	TAGILIA
						\boxtimes					ad Ager id Agen ded that	Staff Determination:				or perso	ct Locati	or desc
Name of Lead Agency:	The project involves anot	The project is otherwise exempt on the following basis:	Applicable Exemption:	The project is statutorily exempt	Applicable Exemption Class	The project is categorically exempt.	The project constitutes a	The project is an Emergency Project	The project is a Ministerial Project	The proposed action doe	cy's Staff, having undertak cy's "Local Guidelines for I this project does not requir	ation:				Entity or person undertaking project:	Project Location – Identify street address and cross streets or attach a map showing project site (preferably a USGS 15' or 7 1/2' topographical map identified by quadrangle name):	realise of description of project:
	The project involves another public agency which constitutes the Lead Agency.	e exempt on		·	Class: Title 14, California Code Regulations, Sec. 15302 Replacement or Reconstruction, Class 2 (c).	cally exempt.	The project constitutes a feasibility or planning study.	gency Project.	terial Project.	The proposed action does not constitute a project under CEQA.	The Lead Agency's Staff, having undertaken and completed a preliminary review of this project in accordance with the Lead Agency's "Local Guidelines for Implementing the California Environmental Quality Act (CEQA)" has concluded that this project does not require further environmental assessment because:		(2) Address	(1) Name	B. Other (Private)	A. Fallbrook Public Utility District	Beging going on north the Av and Then go flows and low Intersection of Doughe and Pon and Pon going to the expension of the e	Downtown Pineline Replacement

Date: 10-17-2024 Staff:

GIS COOLD, water

Preliminary Exemption Assessment

Transaction #: 8102209 Receipt #: 2024422035
(S unity Clerk Cashier Date: 11/20/2024 Print Date: 11/20/2024 3:53 Suite 260 Cashier Location: SD Payment Summary
Payment Summary Total Fees \$1 Total Payments \$1 Balance:
#95684
#95684
#95684
Total Payments \$100.00
CEQA - NOE FILE #: 2024-001040 Date: 11/20/2024 3:46PM Pages: 4
State Receipt # 37-11/20/2024-0958 Fees: Fish & Wildlife County Administrative Fee \$50.00
Total Fees Due: \$50.00
CEQA - NOE FILE #: 2024-001041 Date: 11/20/2024 3:46PM Pages: 6
State Receipt # 37-11/20/2024-0959 Fees: Fish & Wildlife County Administrative Fee \$50.00
Total Fees Due: \$50.00
COVER LETTER
Total Fees Due: \$0.00
Grand Total - All Documents: \$100.00

•