FALLBROOK PUBLIC UTILITY DISTRICT MEETING OF THE ENGINEERING & OPERATIONS COMMITTEE

MONDAY, MARCH 15, 2021 2:00 P.M.

TELECONFERENCING AND PUBLIC COMMENT INSTRUCTIONS

PURSUANT TO WAIVERS TO CERTAIN BROWN ACT PROVISIONS UNDER EXECUTIVE ORDERS ISSUED BY GOVERNOR NEWSOM RELATED TO THE COVID-19 STATE OF EMERGENCY THIS MEETING WILL BE CONDUCTED VIA WEB AND TELECONFERENCE USING THE BELOW INFORMATION, AND THERE WILL BE NO PHYSICAL LOCATION FROM WHICH MEMBERS OF THE PUBLIC MAY PARTICIPATE. INSTEAD, MEMBERS OF THE PUBLIC ARE ENCOURAGED TO PARTICIPATE IN THE COMMITTEE MEETING VIA WEB CONFERENCE USING THE BELOW CALL-IN AND WEBLINK INFORMATION.

https://zoom.us/j/96623184477?pwd=QmcyQWdydIdING5abUl0VXBTZzZrUT09 MEETING ID 966 2318 4477 AUDIO CALL-IN 1-669-900-9128 AUDIO PASSCODE 282231

<u>PUBLIC COMMENTS</u>: Members of the public may submit public comments and comments on agenda items in one of the following ways:

SUBMIT COMMENTS BEFORE THE MEETING:

- By emailing to our Board Secretary at leckert@fpud.com
- By mailing to the District Offices at 990 E. Mission Rd., Fallbrook, CA 92028
- By depositing them in the District's Payment Drop Box located at 990 E. Mission Rd., Fallbrook, CA 92028

All comments submitted before the meeting by whatever means must be received at least 1 hour in advance of the meeting. All comments will be read to the Committee during the appropriate portion of the meeting. Please keep any written comments to 3 minutes.

MAKE COMMENTS DURING THE MEETING: The Committee Chair will inquire prior to Committee discussion if there are any comments from the public on each item.

- Via Zoom Webinar go to the "Participants List," hover over your name and click on "raise hand." This will notify the moderator that you wish to speak during oral communication or during a specific item on the agenda.
- Via phone, you can raise your hand by pressing *9 to notify the moderator that you wish to speak during the current item.

THESE PUBLIC COMMENT PROCEDURES SUPERSEDE THE DISTRICT'S STANDARD PUBLIC COMMENT POLICIES AND PROCEDURES TO THE CONTRARY.